

Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Indexed by

Search Query Display

Recent Search Queries

Fri, 1 Sep 2006, 9:20:59 AM EST

- #2 (((trace buffer) <paragraph> compare <paragraph> (target <paragraph> source)) <in>metadata)
- #3 ((((trace buffer) <paragraph> compare <paragraph> loop)<in>metadata)
- #4 (((trace buffer) compare compare paragraph> loop)<in> metadata)

Help Contact Us Privac

© Copyright 2006 IE



PALM INTRANET

Day: Friday Date: 9/1/2006 Time: 09:16:33

Inventor Information for 09/675569

Inventor Na	me	City	State/Country
SINGH, RAV	/I P.	AUSTIN	TEXAS
ROTH, CHA	RLES P.	AUSTIN	TEXAS
OVERKAMI	P, GREGORY A.	AUSTIN	TEXAS
Search Ano	ther: Application# Sear	ch or Pate	nt# Search
Search Ano	ther. Application# Sear	ch or Pate	n## Search
	PCT / Search	or PG PUI	The same and the s
	Attorney Docket #	Se	earch
	Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Interference EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	0	((trace near3 buffer) and (compar\$4 same target same source)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:06
L6	0	((trace near3 buffer) and (compar\$4 and target same source)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:06
L7	65	((trace near3 buffer) and compar\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:06
L8	15	((trace near3 buffer) same register and compar\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1891	trace near3 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:03
L2	0	L1 same (compar\$3 with target with source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:03
L3	2	L1 same (compar\$3 same target with source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:04
L4	1	L1 and (compar\$3 with target with source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:04
L5	0	((trace near3 buffer) and (compar\$4 same target same source)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:06
L6	0	((trace near3 buffer) and (compar\$4 and target same source)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:06
L7	65	((trace near3 buffer) and compar\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:06
L8	15	((trace near3 buffer) same register and compar\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:06
S1	1318	711/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:34

			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
S2	1308	710/52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:34
S3	172	710/54.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:34
S4	251	710/53.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:34
S5	339	710/56.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:34
S6	61	stack with (last near2 first near2 (buffer or fifo or queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:35
S7	704	stack with ((last near2 first near2 (buffer or queue)) or LIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:35
S8	677	stack with (LIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:35
S9	26	(stack with (LIFO)) with (push near3 pop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:35
S10	12	710/52.ccls. and LIFO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:35
S11	7	710/54.ccls. and LIFO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:35

S12	3	710/53.ccls. and LIFO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:35
S13	10	710/56.ccls. and LIFO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:35
S14	85903	(cells or elements) near3 (division or divided or section\$3 or split\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:35
S15	421	(queu or stack or FIFO or LIFO) with ((cells or elements or registers) near3 (division or divided or section\$3 or split\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:36
S16	12	((queu or stack or FIFO or LIFO) with ((cells or elements or registers) near3 (division or divided or section\$3 or split\$3))) and ("711"/\$. ccls or "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:36
S17	513	(queu or stack or FIFO or LIFO) with ((cells or elements or registers or blocks) near3 (division or divided or section\$3 or split\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:36
S18	644	(queue or stack or FIFO or LIFO) with ((cells or elements or registers or blocks) near3 (division or divided or section\$3 or split\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:36
S19	38	((queue or stack or FIFO or LIFO) with ((cells or elements or registers or blocks) near3 (division or divided or section\$3 or split\$3))) and ("711"/\$.ccls or "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:36
S20	80	(queue or stack or FIFO or LIFO) with ((cells or elements or registers or blocks) near3 (partition\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:36
S21	2433	((queue or stack or FIFO or LIFO) with (cells or elements or registers or blocks)) same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:37

			sco. y			
S22	0	(stack or queue) with (("64" adj bit) near3 input) with (("32" adj bit) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:36
S23	0	(stack or queue) same (("64" adj bit) near3 input) same (("32" adj bit) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:36
S24	32	(stack or queue) and (("64" adj bit) near3 input) and (("32" adj bit) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:37
S25	0	(("64" adj bit) near3 input near3 bus) with (("32" adj bit) near3 output near3 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:36
S26	2	(("64" adj bit) near3 input near3 bus) same (("32" adj bit) near3 output near3 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/01 15:37
S27	2	(memory) same (("64" adj bit) near3 input) same (("32" adj bit) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 12:14
S28	1	(memory) and (("64" adj bit adj bus) near3 input) and (("32" adj bit adj bus) near3 output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 16:39
S29	35	(memory) and ((double near3 input near3 bus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 16:44
S30	4	(memory) with ((double near3 input near3 bus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 16:46
S31	1	(memory) with ((double near3 width) with (input near3 bus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 16:47

			<u>-</u>			
S32	1	((double near3 width) with (input near3 bus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 16:47
S33	2	"20030115424".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:52
S34	1503	trace near3 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:43
S35	313	S34 with (cell or register or element or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:45
S36	16	S34 with (cell or register or element or block) with compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/17 12:46
S37	2	"3975717".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:58
S38	1641	shift near3 register near3 write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:24
S39	36	shift near3 register near3 "two" near3 write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:27
S40	2	shift near3 address near3 register near3 "two" near3 write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:27
S41	5	shift near3 address with register near3 "two" with write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:28

S42	38	shift near3 address with "two" with write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:30
S43	477	shift near3 address with write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:30
S44	39	"711"/\$.ccls. and shift near3 address with write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:32
S45	77	"711"/\$.ccls. and shift\$3 near3 address with write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:33
S46	5	"711"/\$.ccls. and shift\$3 near3 address near3 (two or "2") with write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:34
S47	10	"711"/\$.ccls. and shift\$3 near3 address with (two or "2") with write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:36
S48	60	"711"/\$.ccls. and shift\$3 near3 (two or "2") with write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:48
S49	. 1	stack near3 register near3 push near3 (two or two)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:49
S50	505	stack near3 register near3 (two or "2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:50
S51	17	stack near3 register near3 (two or "2") with shift	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:50

,		<u></u>			· · · · · · · · · · · · · · · · · · ·	<u> </u>
S52	3	double near3 width near3 input with shift	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 18:10
S53	2	("20030115424").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 11:35
S54	1566	trace near3 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:22
S55	1	S54 same (compar\$3 with new with stored)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 09:03
S56	1	S54 same (compar\$3 with address with new)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:29
S57	24	S54 same (compar\$3 with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 08:29
S58	771	trace adj buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:22
S59	75	S58 with (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:23
S60	118	S58 same (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:23
S61	1	S58 same (compar\$3 or match\$3) same (compress\$3 or discard\$3 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:25

S62	57	S58 same ((compar\$3 or match\$3) near3 (entr\$3 or address\$3 or trace))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:40
S63	33	S58 same (coherency or compress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:41
S64	17	S58 with (coherency or compress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29
S65	102	trace near3 queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:22
S66	11	trace adj queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:22
S67		S65 with (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:23
S68	3	S65 same (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:23
S69	2200	trace same (compar\$3 or match\$3) same (compress\$3 or discard\$3 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:30
S70	0	trace with coherancy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:28
S71	102	trace with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29

				·		
S72	0	trace with compare with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29
S73	1	S58 with (coherency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29
S74	1	trace with match with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29
S75	8	trace with (buffer or queue or cache) with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:30
S76	23	(trace adj (buffer or queue or cache)) same (compress\$3 or discard\$3 or remov\$3 or delet\$3) same (duplicate or double or image or replica or copy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:02
S77	1993	(trace) same (discard\$3 or remov\$3 or delet\$3) same (duplicate or double or image or replica or copy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:44
S78	7 44	(trace) same ((discard\$3 or remov\$3 or delet\$3) with (duplicate or double or image or replica or copy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:46
S79	271	(trace) same ((discard\$3 or remov\$3 or delet\$3) with (duplicate or double or replica or copy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:47
S80	15334	(buffer or queue) same (discard\$3 or remov\$3 or delet\$3) same (duplicate or double or image or replica or copy or match or compare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:10
S81	0	(64-bit adj input) with (32-bit adj register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:04

			, , , , , , , , , , , , , , , , , , , ,			
S82	0	("64-bit" adj input) with ("32-bit" adj register)	US-PGPUB; USPAT; ÉPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:05
S83	49833	buffer with (input near3 double register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:05
S84	1824	S80 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:06
S85	11	buffer with (input near3 double near3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:08
S86	0	S80 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:06
S87	0	buffer with (input adj bus near3 "64") with ((register or buffer) near3 "32")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:09
S88	0	(input adj bus near3 "64") with ((register or buffer) near3 "32")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:09
S89	685	"711"/\$.ccls. and (buffer or queue) same (discard\$3 or remov\$3 or delet\$3) same (duplicate or double or image or replica or copy or match or compare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:10
S90	52	"711"/\$.ccls. and (buffer or queue) with ((discard\$3 or remov\$3 or delet\$3) near3 (duplicate or double or image or replica or copy or match or compare))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:19
S91	2	((buffer or queue) with coherency) with ((discard\$3 or remov\$3 or delet\$3) near3 (duplicate or double or image or replica or copy or match or compare))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:20

	****				·	
S92	0	((buffer or queue) with coherency) with (compare or match) with (discard\$3 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:21
S93	35	((buffer or queue) with coherency) with (compare or match)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:26
S94	535	((compare or match) near3 entry) with new	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:27
S95	53	buffer same S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:29
S96	1677472	buffer same S94 same delete or discard or remove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:28
S97	1	buffer same (delete or discard or remove) same S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:28
S98	20	double near3 shift near3 (buffer or queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:39
S99	2	(buffer or queue) with (larger near3 input near3 but)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:39
S10 0 .	1	(buffer or queue) with (larger near3 input near3 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:40
S10 1	15074	(queue or stack or buffer) same (compar\$3 or match\$3) same (compress\$3 or discard\$3 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:32

S10 2	532	"711"/\$.ccls. and (queue or stack or buffer) same (compar\$3 or match\$3) same (compress\$3 or discard\$3 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:32
S10 3	480	"711"/\$.ccls. and (queue or stack or buffer) same (compar\$3 or match\$3) same (discard\$3 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:34
S10 4	171	"711"/\$.ccls. and (queue or stack or buffer) same (compar\$3 or match\$3) with (discard\$3 or remov\$3 or delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 12:34
S10 5	2	"3975717".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:31
S10 6	2	"6094729".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:24
S10 7	2	"20030115424".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:09
S10 8	2	"6094729".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:21
S10 9	2	"5553010".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 17:21
S11 0	4	(("20030115424") or ("6094729")). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 12:14